Permit #F00151004

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

## Summary Information

**Permit No:** F00151004 **Type of Permit:** FILMING **Release Date:** 04/17/2019

**Production Company** PARADOX PICTURES, LLC

**Insured Company Name** PARADOX PICTURES, LLC
Contact Phone No. 1 424-298-4765
Contact Phone No. 2
Fax
Address 1661 LINCOLN BLVD.
SANTA MONICA, California 90404

**Production Title** PHOENIX

**Type of Production** Feature

**Producer** JOHN KELLY

**Director** TIM MILLER

**1st AD** NA NA

**Production Manager** LISA BEROUD

**FilmL.A. Coordinator** Tara Kramer

**Location Manager** LISA BEROUD
Primary Phone Mobile - 310-418-5863
Secondary Phone

**Location Assistant** NA NA
Primary Phone Mobile - 000-000-0000
Secondary Phone

## Fees

| | |
|---|---|
| Notification Charge | $114.00 |
| FILMLA NON-REFUNDABLE FILM APPLICATION FEE | $685.00 |
| CULVER CITY FILMING DAILY USE FEE | $350.00 |
| CULVER CITY APPLICATION FEE | $165.00 |
| CULVER CITY FIRE DEPT SPOT CHECK FEE | $95.00 |

**Total Permit Fee** $1,409.00

**Number of Locations** 1

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

## Summary Information — Location



| | | | |
|---|---|---|---|
| **Permit Number** | F00151004 | **Location Manager** | LISA BEROUD |
| **Production Company** | PARADOX PICTURES, LLC | Primary Phone | Mobile - 310-418-5863 |
| **Insured Company** | PARADOX PICTURES, LLC | Secondary Phone | |
| **Production Title** | PHOENIX | | |

**Location Address** 3958 Ince Blvd, Culver City, CA, 90232

**Location Type** Office Building

**Film Dates** 4/18/2019 - 4/18/2019 07:00 - 19:00 1 day

**Open or Closed to the Public** Closed

**Generic Conditions** All vehicles must be parked on private property
No cast or crew parking on area streets

**Please see attached documents** SpotCheck CCFD.pdf
Film Permits Unlimited.pdf

**Equipment on Location**

| Type | Quantity |
|---|---|
| Cast/Crew vehicles | 15 |
| Cube Trucks | 1 |

**Personnel on Location**

| Type | Quantity |
|---|---|
| Cast | 1 |
| Crew | 15 |
| Culver City Spot Check | 1 |

**Filming Activities** Equipment on property; Exterior establishing shots;

**Jurisdiction** **Political:** Culver City **Police:** Culver City Police Department **Fire:** Culver City Fire Department

**Thomas Guide** **Page:** 671 **Grid:**

**Approvals** CULVER CITY FIRE DEPARTMENT — Steve Poelstra
CULVER CITY POLICE DEPARTMENT — Sergeant Brandon Vanscoy

**Parking**

| Base Camp | Crew Parking | |
|---|---|---|
| Location Type : Filming Location | Location Type : Other Location | 9290 Culver Blvd, Culver City, CA, 90232 |

NOT A PERMIT

Permit #F00151004

**FIRE DEPARTMENT**

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

# LOCATION FILMING SPOT CHECK

| | |
|---|---|
| **FilmLA Permit #:** | **Date of Filming:** |
| **Production Name** | **Location Address:** |

**Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review**

| **ACCESS AND PARKING** | | **YES** | **NO** | **N/A** |
|---|---|---|---|---|
| **1.** | Fire department vehicle access maintained (20' width minimum) | | | |
| **2.** | Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum) | | | |
| **3.** | Vehicles not obstructing exit doors | | | |
| **4.** | Designated location for Special Effects vehicles | | | |
| **5.** | Vehicles parked minimum 20' from all tents | | | |

**Corrective Actions Taken:**

| **EXITING** | | **YES** | **NO** | **N/A** |
|---|---|---|---|---|
| **1.** | All exits kept clear and unobstructed | | | |
| **2.** | Exit signs are provided and visible | | | |
| **3.** | Exit pathway illumination provided and operational | | | |
| **4.** | No hazardous or ignitable material stored in exit pathways | | | |
| **5.** | Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities | | | |

**Corrective Actions Taken:**

| **ELECTRICAL AND LIGHTING** | | **YES** | **NO** | **N/A** |
|---|---|---|---|---|
| **1.** | All cords, cables, boxes, fixtures and appliances are in good condition | | | |
| **2.** | Cables properly protected | | | |
| **3.** | Cables flown or bridged crossing exit pathways and paths of travel | | | |
| **4.** | Electrical panels unobstructed and secured with dead fronts | | | |
| **5.** | All combustible material kept clear of light fixtures | | | |

**Corrective Actions Taken:**

NOT A PERMIT

*Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.*

*Revised 06/2018*

| FIRE PROTECTION EQUIPMENT/ FIRE ALARM | | YES | NO | N/A |
|---|---|---|---|---|
| 1. | Fire extinguishers charged, tagged and readily available | | | |
| 2. | 40 B-C extinguisher provided for generator and kitchen area | | | |
| 3. | Sprinkler system riser and sprinkler heads are unobstructed | | | |
| 4. | Proper extinguisher provided for type of special event | | | |
| 5. | Fire alarm placed on "TEST" with monitoring company and Fire Dept. | | | |
| **Corrective Actions Taken:** | | | | |

| GENERATORS | | YES | NO | N/A |
|---|---|---|---|---|
| 1. | Generators parked in approved location and attended while operating | | | |
| 2. | Generator free of leaks and not refueled while operating | | | |
| **Corrective Actions Taken:** | | | | |

| TENTS/SMOKING CONTROL | | YES | NO | N/A |
|---|---|---|---|---|
| 1. | Tents greater than 400 square feet need additional tent permit from CCFD | | | |
| 2. | All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo | | | |
| 3. | "No Smoking" signs posted and enforced within tents | | | |
| 4. | No interior smoking permitted | | | |
| **Corrective Actions Taken:** | | | | |

| FLAMMABLE MATERIAL/ HEATING APPLIANCES | | YES | NO | N/A |
|---|---|---|---|---|
| 1. | Flammable gases and liquids are stored in approved containers, locations and identified | | | |
| 2. | No refueling of vehicles or equipment while operating | | | |
| 3. | LPG tanks are stored outside | | | |
| 4. | LPG-fueled appliances not allowed without separate FD permit | | | |
| 5. | Adequate clearance maintained between appliances and combustible material | | | |
| 6 | Flammable material are stored >25ft from any flame source | | | |
| **Corrective Actions Taken:** | | | | |

**FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT**

| | |
|---|---|
| **Name:** | **Phone:** |
| **Signature:** | **Title:** |
| **Inspector Name:** | **Inspector Signature:** |

**KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES**

NOT A PERMIT

Permit #F00151004

**FIRE DEPARTMENT**

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

# LOCATION FILMING SPOT CHECK

| | |
|---|---|
| **FilmLA Permit #:** | **Date of Filming:** |
| **Production Name** | **Location Address:** |

**Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review**

| **ACCESS AND PARKING** | | **YES** | **NO** | **N/A** |
|---|---|---|---|---|
| **1.** | Fire department vehicle access maintained (20' width minimum) | | | |
| **2.** | Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum) | | | |
| **3.** | Vehicles not obstructing exit doors | | | |
| **4.** | Designated location for Special Effects vehicles | | | |
| **5.** | Vehicles parked minimum 20' from all tents | | | |

**Corrective Actions Taken:**

| **EXITING** | | **YES** | **NO** | **N/A** |
|---|---|---|---|---|
| **1.** | All exits kept clear and unobstructed | | | |
| **2.** | Exit signs are provided and visible | | | |
| **3.** | Exit pathway illumination provided and operational | | | |
| **4.** | No hazardous or ignitable material stored in exit pathways | | | |
| **5.** | Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities | | | |

**Corrective Actions Taken:**

| **ELECTRICAL AND LIGHTING** | | **YES** | **NO** | **N/A** |
|---|---|---|---|---|
| **1.** | All cords, cables, boxes, fixtures and appliances are in good condition | | | |
| **2.** | Cables properly protected | | | |
| **3.** | Cables flown or bridged crossing exit pathways and paths of travel | | | |
| **4.** | Electrical panels unobstructed and secured with dead fronts | | | |
| **5.** | All combustible material kept clear of light fixtures | | | |

**Corrective Actions Taken:**

NOT A PERMIT

*Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.*

*Revised 06/2018*

| FIRE PROTECTION EQUIPMENT/ FIRE ALARM | | YES | NO | N/A |
|---|---|---|---|---|
| 1. | Fire extinguishers charged, tagged and readily available | | | |
| 2. | 40 B-C extinguisher provided for generator and kitchen area | | | |
| 3. | Sprinkler system riser and sprinkler heads are unobstructed | | | |
| 4. | Proper extinguisher provided for type of special event | | | |
| 5. | Fire alarm placed on "TEST" with monitoring company and Fire Dept. | | | |
| **Corrective Actions Taken:** | | | | |

| GENERATORS | | YES | NO | N/A |
|---|---|---|---|---|
| 1. | Generators parked in approved location and attended while operating | | | |
| 2. | Generator free of leaks and not refueled while operating | | | |
| **Corrective Actions Taken:** | | | | |

| TENTS/SMOKING CONTROL | | YES | NO | N/A |
|---|---|---|---|---|
| 1. | Tents greater than 400 square feet need additional tent permit from CCFD | | | |
| 2. | All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo | | | |
| 3. | "No Smoking" signs posted and enforced within tents | | | |
| 4. | No interior smoking permitted | | | |
| **Corrective Actions Taken:** | | | | |

| FLAMMABLE MATERIAL/ HEATING APPLIANCES | | YES | NO | N/A |
|---|---|---|---|---|
| 1. | Flammable gases and liquids are stored in approved containers, locations and identified | | | |
| 2. | No refueling of vehicles or equipment while operating | | | |
| 3. | LPG tanks are stored outside | | | |
| 4. | LPG-fueled appliances not allowed without separate FD permit | | | |
| 5. | Adequate clearance maintained between appliances and combustible material | | | |
| 6 | Flammable material are stored >25ft from any flame source | | | |
| **Corrective Actions Taken:** | | | | |

**FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT**

| | |
|---|---|
| **Name:** | **Phone:** |
| **Signature:** | **Title:** |
| **Inspector Name:** | **Inspector Signature:** |

**KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES**

NOT A PERMIT

## Appointment of Film Permits Unlimited, Inc.
## As Authorized Agent and representative

**I certify that I am a representative of** Paradox Pictures, LLC **("Principal") and am authorized to enter into binding contractual agreements on it's behalf. I further certify that I am authorizes by Principal to appoint other representatives and agents for Principal and to give such representatives and agents authority to enter into and bind Principal to agreements relating to the issuance of and compliance with location film (e.g. theatrical, television, commercial and other motion picture filming) and still photographic permits, including the permits themselves and any riders to such permits. Acting on behalf of Principal in my capacity as its authorized representative, I appoint Film Permits Unlimited, Inc. and it's employees and agents ("FPU") as Principal's authorized representatives and agents to apply for location film (e.g. theatrical, television, commercial and other motion picture filming) and still photographic permits on behalf of Principal through Film LA, Inc., any city and county, or through any other jurisdiction: to negotiate, discuss, accept, modify, agree to and bind Principal to the terms and conditions of such permits (including all restrictions and /or community guidelines applicable to any such permit): and to execute such permits on behalf of Principal. Principal understands, acknowledges and agrees that it (and/or its insurer) remains responsible and liable for all obligations imposed by or Incidental to any permit or rider issued to Principal signed by an employee or agent of (including any coordinator, runner or messenger used by) FPU. Principal further agrees to comply with the terms and conditions of any such permits and hereby appoints FPU as an authorized representative to facilitate compliance with such terms and conditions following issuance of any such permits and to enter into agreements for Principal with respect thereto. Any person, agency, entity, or organization (including Film LA, Inc. and any city county or other jurisdiction) may rely upon this appointment and need not obtain further authorization for any act described herein. An original or faxed copy of this appointment shall be sufficient, and may be treated as an original for all purposes. The appointment may be revoked by Principal at any time in writing, but in any case, shall expire one (1) year from the date of execution set forth below.**

**I declare under penalty of perjury under the laws of the State of California that I am authorized to appoint FPU as agent for Principal, and based upon that authority I hereby appoint FPU as Principal's agent as set forth herein.**

**Dated:** 4/12/19

Paradox Pictures, LLC
**Name of Principal**

**By:** _____
**Representative's Signature**

Brad Carlson
**Print Representative's Name**

EVP, Physical Production
**Representative's title**

11661 Lincoln Blvd, 4th Flour
Santa Monica, CA 90404
**Principal's Address**

424-291-3417
**Principal's Telephone**

**Film Permits Unlimited, Inc.**
**Phone (818) 347-9929**
**Fax (818) 347-9784**

**Please sign and fax back**
**Principal = Name of Company**

NO PERMIT